

**$Z_c(3900)$** 

$$I^G(J^{PC}) = 1^+(1^{+-})$$

was  $X(3900)$ 

Properties incompatible with a  $q\bar{q}$  structure (exotic state). See the review on non- $q\bar{q}$  states.

Charged  $Z_c(3900)$  seen as a peak in the invariant mass distribution of the  $J/\psi\pi^\pm$  system by BES III (ABLIKIM 13T) in  $e^+e^- \rightarrow \pi^+\pi^-J/\psi$  at c.m. energy of 4.26 GeV and by radiative return from  $e^+e^-$  collisions at  $\sqrt{s}$  from 9.46 to 10.86 GeV at Belle (LIU 13B). Partial wave analysis of ABLIKIM 17J determines  $J^P = 1^+$  with more than  $7\sigma$  significance. Neutral  $Z_c(3900)$  seen in the  $J/\psi\pi^0$  invariant mass distribution in  $e^+e^- \rightarrow \pi^0\pi^0J/\psi$  at c.m. energies of 4.23, 4.26, and 4.36 GeV by BES III (ABLIKIM 15U) and at 4.17 GeV by XIAO 13A. Peaks in  $(D\bar{D}^*)^{0,\pm}$  reported by BES III (ABLIKIM 14A, ABLIKIM 15AB) are assumed to be related.

 **$Z_c(3900)$  MASS**

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	CHG	COMMENT
<b><math>3888.4 \pm 2.5</math> OUR AVERAGE</b>		Error includes scale factor of 1.7. See the ideogram below.			
$3902.6^{+5.2+3.3}_{-5.0-1.4}$		<sup>1</sup> ABAZOV	19 D0		1.96 TeV $p\bar{p} \rightarrow J/\psi\pi^+\pi^-X$
$3895.0 \pm 5.2^{+4.0}_{-2.7}$	502	<sup>2</sup> ABAZOV	18B D0		1.96 TeV $p\bar{p} \rightarrow J/\psi\pi^+\pi^-X$
$3885.7^{+4.3}_{-5.7} \pm 8.4$		<sup>3</sup> ABLIKIM	15AB BES3	0	$e^+e^- \rightarrow \pi^0(D\bar{D}^*)^0$
$3881.7 \pm 1.6 \pm 1.6$	1.2k	<sup>3</sup> ABLIKIM	15AC BES3	$\pm$	$e^+e^- \rightarrow \pi^\pm(D\bar{D}^*)^\mp$
$3894.8 \pm 2.3 \pm 3.2$	356	<sup>3</sup> ABLIKIM	15U BES3	0	$e^+e^- \rightarrow \pi^0\pi^0J/\psi$
$3883.9 \pm 1.5 \pm 4.2$	1.2k	<sup>3</sup> ABLIKIM	14A BES3	$\pm$	$e^+e^- \rightarrow \pi^\pm(D\bar{D}^*)^\mp$
$3899.0 \pm 3.6 \pm 4.9$	307	<sup>3</sup> ABLIKIM	13T BES3	$\pm$	$e^+e^- \rightarrow \pi^+\pi^-J/\psi$
$3894.5 \pm 6.6 \pm 4.5$	159	<sup>3</sup> LIU	13B BELL	$\pm$	$e^+e^- \rightarrow \gamma\pi^+\pi^-J/\psi$
$3886 \pm 4 \pm 2$	81	<sup>3,4</sup> XIAO	13A	$\pm$	$4.17 e^+e^- \rightarrow \pi^+\pi^-J/\psi$
$3904 \pm 9 \pm 5$	25	<sup>3,4</sup> XIAO	13A	0	$4.17 e^+e^- \rightarrow \pi^0\pi^0J/\psi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$3881.2 \pm 4.2 \pm 52.7$  6k <sup>5</sup> ABLIKIM 17J BES3  $\pm$   $e^+e^- \rightarrow \pi^+\pi^-J/\psi$


<sup>1</sup> Measured in weak decays of  $b$ -flavored hadrons (nonprompt).

<sup>2</sup> The signal of the  $Z_c(3900)$  is correlated with a parent  $J/\psi\pi^+\pi^-$  system in the invariant mass range 4.2–4.7 GeV.

<sup>3</sup> Neglecting interference between the  $Z_c(3900)$  and non-resonant continuum.

<sup>4</sup> For  $M^2(\pi^+\pi^-) < 0.65 \text{ GeV}^2$ . Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration.

<sup>5</sup> Pole mass obtained from a fit to a Flatte-like formula.



### $Z_c(3900)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>28.3± 2.5 OUR AVERAGE</b>					
32 $+^{28}_{-21} +^{26}_{-7}$		1 ABAZOV	19 D0		1.96 TeV $p\bar{p} \rightarrow \pi^+\pi^- J/\psi X$ (non-prompt)
51.8± 4.6± 36.0	6 k	2 ABLIKIM	17J BES3	±	$e^+e^- \rightarrow \pi^+\pi^- J/\psi$
35 $+^{11}_{-12} \pm 15$		3 ABLIKIM	15AB BES3	0	$e^+e^- \rightarrow \pi^0(D\bar{D}^*)^0$
26.6± 2.0± 2.1	1248	3 ABLIKIM	15AC BES3	±	$e^+e^- \rightarrow \pi^\pm(D\bar{D}^*)^\mp$
29.6± 8.2± 8.2	356	3 ABLIKIM	15U BES3	0	$e^+e^- \rightarrow \pi^0\pi^0 J/\psi$
24.8± 3.3± 11.0	1212	3 ABLIKIM	14A BES3	±	$e^+e^- \rightarrow \pi^\pm(D\bar{D}^*)^\mp$
46 ±10 ±20	307	3 ABLIKIM	13T BES3	±	$e^+e^- \rightarrow \pi^+\pi^- J/\psi$
63 ±24 ±26	159	3 LIU	13B BELL	±	$e^+e^- \rightarrow \gamma\pi^+\pi^- J/\psi$
37 ± 4 ± 8	81	3,4 XIAO	13A	±	4.17 $e^+e^- \rightarrow \pi^+\pi^- J/\psi$

<sup>1</sup> Measured in weak decays of  $b$ -flavored hadrons (nonprompt).

<sup>2</sup> Pole width obtained from a fit to a Flatte-like formula.

<sup>3</sup> Neglecting interference between the  $Z_c(3900)$  and non-resonant continuum.

<sup>4</sup> For  $M^2(\pi^+\pi^-) < 0.65 \text{ GeV}^2$ . Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration.

## Z<sub>c</sub>(3900) DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $J/\psi\pi$	seen
$\Gamma_2$ $h_c\pi^\pm$	not seen
$\Gamma_3$ $\eta_c\pi^+\pi^-$	not seen
$\Gamma_4$ $\eta_c(1S)\rho(770)^\pm$	
$\Gamma_5$ $(D\bar{D}^*)^\pm$	seen
$\Gamma_6$ $D^0 D^{*-} + \text{c.c.}$	seen
$\Gamma_7$ $D^- D^{*0} + \text{c.c.}$	seen
$\Gamma_8$ $\omega\pi^\pm$	not seen
$\Gamma_9$ $J/\psi\eta$	not seen
$\Gamma_{10}$ $D^+ D^{*-} + \text{c.c.}$	seen
$\Gamma_{11}$ $D^0 \bar{D}^{*0} + \text{c.c.}$	seen

## Z<sub>c</sub>(3900) BRANCHING RATIOS

$\Gamma(J/\psi\pi)/\Gamma_{\text{total}}$							$\Gamma_1/\Gamma$
VALUE	CL%	EVTS	DOCUMENT ID	TECN	CHG	COMMENT	
seen		356	ABLIKIM	15U	BES3	0	$e^+e^- \rightarrow \pi^0\pi^0 J/\psi$
<b>seen</b>		307	ABLIKIM	13T	BES3	$\pm$	$e^+e^- \rightarrow \pi^+\pi^- J/\psi$
seen		25	<sup>1</sup> XIAO	13A		0	$4.17 e^+e^- \rightarrow \pi^0\pi^0 J/\psi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen			<sup>2</sup> ABAZOV	19	D0		1.96 TeV $p\bar{p} \rightarrow \pi^+\pi^- J/\psi X$ (prompt)
not seen	90		<sup>3</sup> ADOLPH	15D	COMP	$\pm$	$\gamma N \rightarrow J/\psi\pi^\pm N$

<sup>1</sup> Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration.

<sup>2</sup> Upper limit for the prompt production is set:  $N_{\text{prompt}}/N_{\text{nonprompt}} < 0.70$ , CL = 95%.

<sup>3</sup> ADOLPH 15D measure  $B(Z_c(3900)^\pm \rightarrow J/\psi\pi^\pm) \sigma(\gamma N \rightarrow Z_c(3900)^\pm N) / \sigma(\gamma N \rightarrow J/\psi N) < 3.7 \times 10^{-3}$  at 90% CL.

$\Gamma(h_c\pi^\pm)/\Gamma_{\text{total}}$							$\Gamma_2/\Gamma$
VALUE			DOCUMENT ID	TECN	CHG	COMMENT	
<b>not seen</b>			ABLIKIM	13X	BES3	$\pm$	$e^+e^- \rightarrow h_c\pi^+\pi^-$

$\Gamma(\eta_c\pi^+\pi^-)/\Gamma_{\text{total}}$							$\Gamma_3/\Gamma$
VALUE			DOCUMENT ID	TECN	CHG	COMMENT	
<b>not seen</b>			<sup>1</sup> VINOKUROVA	15	BELL	0	$B^+ \rightarrow K^+\eta_c\pi^+\pi^-$

<sup>1</sup> VINOKUROVA 15 reports  $B(B^+ \rightarrow K^+ Z_c(3900)^0) \times B(X \rightarrow \eta_c\pi^+\pi^-) < 4.7 \times 10^{-5}$  at 90% CL.

$\Gamma((D\bar{D}^*)^\pm)/\Gamma(J/\psi\pi)$							$\Gamma_5/\Gamma_1$
VALUE			DOCUMENT ID	TECN	CHG	COMMENT	
<b>6.2<math>\pm</math>1.1<math>\pm</math>2.7</b>			<sup>1</sup> ABLIKIM	14A	BES3	$\pm$	$e^+e^- \rightarrow \pi^\pm (D\bar{D}^*)^\mp$

<sup>1</sup> Assuming the same origin of the  $(D\bar{D}^*)^\pm$  and  $\pi^\pm J/\psi$  decay modes.

$\Gamma(D^0 D^{*-} + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>seen</b>	ABLIKIM	15AC	BES3	$\pm$ $e^+ e^- \rightarrow \pi^+ D^0 D^{*-} + \text{c.c.}$
<b>seen</b>	ABLIKIM	14A	BES3	$\pm$ $e^+ e^- \rightarrow \pi^+ D^0 D^{*-} + \text{c.c.}$

$\Gamma(D^- D^{*0} + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>seen</b>	ABLIKIM	15AC	BES3	$\pm$ $e^+ e^- \rightarrow \pi^+ D^- D^{*0} + \text{c.c.}$
<b>seen</b>	ABLIKIM	14A	BES3	$\pm$ $e^+ e^- \rightarrow \pi^+ D^- D^{*0} + \text{c.c.}$

$\Gamma(\omega \pi^\pm)/\Gamma_{\text{total}}$   $\Gamma_8/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>not seen</b>	ABLIKIM	15R	BES3	$\pm$ $e^+ e^- \rightarrow \omega \pi^+ \pi^-$

$\Gamma(J/\psi \eta)/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>not seen</b>	ABLIKIM	15Q	BES3	0 $4.0\text{--}4.6 e^+ e^- \rightarrow J/\psi \eta \pi^0$

$\Gamma(J/\psi \eta)/\Gamma(J/\psi \pi)$   $\Gamma_9/\Gamma_1$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<0.15	90	ABLIKIM	15Q	BES3	0 $4.226 e^+ e^- \rightarrow J/\psi \eta \pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<0.65	90	ABLIKIM	15Q	BES3	0 $4.257 e^+ e^- \rightarrow J/\psi \eta \pi^0$

$\Gamma(\eta_c(1S) \rho(770)^\pm)/\Gamma(J/\psi \pi)$   $\Gamma_4/\Gamma_1$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2.3 ± 0.8</b>	332	<sup>1</sup> ABLIKIM	19BC	BES3 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \eta_c(1S)$

<sup>1</sup> Using  $e^+ e^- \rightarrow \pi^\mp (Z_c(3900)^\pm \rightarrow J/\psi \pi^\pm)$  cross section at 4.23 and 4.26 GeV from ABLIKIM 17J.

$\Gamma(D^+ D^{*-} + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_{10}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>seen</b>	ABLIKIM	15AB	BES3	0 $e^+ e^- \rightarrow \pi^0 (D \bar{D}^*)^0$

$\Gamma(D^0 \bar{D}^{*0} + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>seen</b>	ABLIKIM	15AB	BES3	0 $e^+ e^- \rightarrow \pi^0 (D \bar{D}^*)^0$

$\Gamma(D^+ D^{*-} + \text{c.c.})/\Gamma(D^0 \bar{D}^{*0} + \text{c.c.})$   $\Gamma_{10}/\Gamma_{11}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>0.96 ± 0.18 ± 0.12</b>	ABLIKIM	15AB	BES3	0 $e^+ e^- \rightarrow \pi^0 (D \bar{D}^*)^0$

**Z<sub>c</sub>(3900) REFERENCES**

ABAZOV	19	PR D100 012005	V.M. Abazov <i>et al.</i>	(D0 Collab.)
ABLIKIM	19BC	PR D100 111102	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABAZOV	18B	PR D98 052010	V.M. Abazov <i>et al.</i>	(D0 Collab.)
ABLIKIM	17J	PRL 119 072001	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	15AB	PRL 115 222002	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	15AC	PR D92 092006	M. Ablikim <i>et al.</i>	(BESIII Collab.) JP
ABLIKIM	15Q	PR D92 012008	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	15R	PR D92 032009	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	15U	PRL 115 112003	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ADOLPH	15D	PL B742 330	C. Adolph <i>et al.</i>	(COMPASS Collab.)
VINOKUROVA	15	JHEP 1506 132	A. Vinokurova <i>et al.</i>	(BELLE Collab.)
Also		JHEP 1702 088 (errata.)	A. Vinokurava <i>et al.</i>	(BELLE Collab.)
ABLIKIM	14A	PRL 112 022001	M. Ablikim <i>et al.</i>	(BESIII Collab.) JP
ABLIKIM	13T	PRL 110 252001	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	13X	PRL 111 242001	M. Ablikim <i>et al.</i>	(BESIII Collab.)
LIU	13B	PRL 110 252002	Z.Q. Liu <i>et al.</i>	(BELLE Collab.)
XIAO	13A	PL B727 366	T. Xiao <i>et al.</i>	(NWES)

---